

Job Number: 280-114793-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW

Attention: Mr. Bruce Freeman

avielle Harrigan

Approved for release Daniello M Harrington Project Manager II 10/5/2018 6:51 AM

Designee for
DiLea R Bindel, Project Manager I
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0173
dilea.bindel@testamericainc.com
10/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-114793-1

Qualifiers

	*
Qualifier Description	
Indicates the analyte was analyzed for but not detected.	
Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	
Compound was found in the blank and sample.	
	Indicates the analyte was analyzed for but not detected. Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

В	Compound was found in the blank and sample.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
п	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duolicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL.	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL.	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-114793-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 09/26/2018; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 0.8 C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-114793-1) and GADSDEN-FINISHED (280-114793-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 09/27/2018 and analyzed on 09/29/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-114793-1) and GADSDEN-FINISHED (280-114793-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

The opening continuing calibration verification (CCV) was high for 13C8 PFOS. The samples were in control and the closing CCV was in control, therefore, corrective action is deemed unnecessary.

Perfluorohexanoic acid (PFHxA) was detected in method blank MB 280-431186/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden TestAmerica Job ID: 280-114793-1

Client Sample ID: GADSDEN-RAW

Date Collected: 09/24/18 21:38 Date Received: 09/26/18 09:15 Lab Sample ID: 280-114793-1

Matrix: Water

Method: DV-LC-0012 - Fluorina Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.018		0.016	0.0081	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorodecanoic acid (PFDA)	0.0065	U	0.016	0.0065	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorohexanoic acid (PFHxA)	0.036		0.016	0.0024	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorononanoic acid (PFNA)	0.014	U	0.033	0.014	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorooctanoic acid (PFOA)	0.031		0.016	0.0081	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorooctane Sulfonate (PFOS)	0.049		0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoropentanoic acid (PFPA)	0.059		0.025	0.0090	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.033	0.015	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoroundecanoic acid (PFUnA)	0.0057	U	0.016	0.0057	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorobutanesulfonic acid (PFBS)	0.10		0.016	0.0068	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorodecanesulfonic acid (PFDS)	0.0075	U	0.016	0.0075	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorohexanesulfonic acid (PFHxS)	0.0057	U	0.025	0.0057	ug/L		09/27/18 08:52	09/29/18 00:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	88		60 - 155				09/27/18 08:52	09/29/18 00:19	1
13C8 PFOS	96		45 - 130				09/27/18 08:52	09/29/18 00:19	1

Client Sample ID: GADSDEN-FINISHED

Date Collected: 09/25/18 12:00 Date Received: 09/26/18 09:15 Lab Sample ID: 280-114793-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.016	J	0.017	0.0083	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorodecanoic acid (PFDA)	0.0066	U	0.017	0.0066	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorododecanolc acid (PFDoA)	0.013	U	0.025	0.013	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorohexanoic acid (PFHxA)	0.033	В	0.017	0.0025	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorononanoic acid (PFNA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorooctanoic acid (PFOA)	0.027		0.017	0.0082	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorooctane Sulfonate (PFOS)	0.037		0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoropentanoic acid (PFPA)	0.056		0.025	0.0092	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoroundecanoic acid (PFUnA)	0.0058	U	0.017	0.0058	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorobutanesulfonic acid (PFBS)	0.096		0.017	0.0069	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorodecanesulfonic acid (PFDS)	0.0077	U	0.017	0.0077	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorohexanesulfonic acid (PFHxS)	0.0059	U	0.025	0.0059	ug/L		09/27/18 08:52	09/29/18 00:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	87		60 - 155				09/27/18 08:52	09/29/18 00:07	1
13C8 PFOS	97		45 - 130				09/27/18 08:52	09/29/18 00:07	1



Job Number: 280-115063-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 10/12/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115063-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
1	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
_OD	Limit of Detection (DoD/DOE)
_OQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ИL	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
ac	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-115063-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/3/2018 9:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples Gadsden - Raw (280-115063-1) and Gadsden - Finished (280-115063-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/05/2018 and analyzed on 10/08/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: Gadsden - Raw (280-115063-1), Gadsden - Finished (280-115063-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115063-1

Client Sample ID: Gadsden - Raw

Date Collected: 10/01/18 20:32 Date Received: 10/03/18 09:15 Lab Sample ID: 280-115063-1

Matrix: Water

Method: DV-LC-0012 - Fluorina Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.020		0.016	0.0079	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorodecanoic acid (PFDA)	0.0063	U	0.016	0.0063	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.024	0.012	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.024	0.011	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorohexanoic acid (PFHxA)	0.041		0.016	0.0024	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorononanoic acid (PFNA)	0.014	U	0.032	0.014	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorooctanoic acid (PFOA)	0.028		0.016	0.0079	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorooctane sulfonate (PFOS)	0.041		0.024	0.011	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluoropentanoic acid (PFPA)	0.077		0.024	0.0088	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.024	0.012	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorotridecanoic acid (PFTriA)	0.014	U	0.032	0.014	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluoroundecanoic acid (PFUnA)	0.0056	U	0.016	0.0056	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorobutanesulfonic acid (PFBS)	0.12		0.016	0.0067	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorodecanesulfonic acid (PFDS)	0.0074	U	0.016	0.0074	ug/L		10/05/18 18:59	10/08/18 16:29	1
Perfluorohexanesulfonic acid (PFHxS)	0.0056	U	0.024	0.0056	ug/L		10/05/18 18:59	10/08/18 16:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	86		60 - 155				10/05/18 18:59	10/08/18 16:29	1
13C8 PFOS	99		45 - 130				10/05/18 18:59	10/08/18 16:29	1

Client Sample ID: Gadsden - Finished

Date Collected: 10/02/18 12:00 Date Received: 10/03/18 09:15 Lab Sample ID: 280-115063-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.022	-	0.018	0.0087	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluoroheptanoic acid (PFHpA)	0.013	J	0.027	0.012	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorohexanoic acid (PFHxA)	0.038		0.018	0.0026	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorooctanoic acid (PFOA)	0.024		0.018	0.0087	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorooctane sulfonate (PFOS)	0.053		0.027	0.012	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluoropentanoic acid (PFPA)	0.077		0.027	0.0097	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorobutanesulfonic acid (PFBS)	0.12		0.018	0.0073	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorodecanesulfonic acid (PFDS)	0.0082	U	0.018	0.0082	ug/L		10/05/18 18:59	10/08/18 16:42	1
Perfluorohexanesulfonic acid (PFHxS)	0.0062	U	0.027	0.0062	ug/L		10/05/18 18:59	10/08/18 16:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	83		60 - 155				10/05/18 18:59	10/08/18 16:42	1
13C8 PFOS	98		45 - 130				10/05/18 18:59	10/08/18 16:42	1



Job Number: 280-115506-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for releast DiLea R Bindel Project Manager I 11/5/2018 7:31 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115506-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
a	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxín)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-115506-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/12/2018 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-115506-1) and GADSDEN-FINISHED (280-115506-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/20/2018 and analyzed on 11/01/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following sample is below the method recommended limit: GADSDEN-RAW (280-115506-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115506-1

Client Sample ID: GADSDEN-RAW

Lab Sample ID: 280-115506-1 Matrix: Water

Date Collected: 10/10/18 20:57 Date Received: 10/12/18 10:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.031		0.018	0.0087	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorodecanoic acid (PFDA)	0.0069	U	0.018	0.0069	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluoroheptanoic acid (PFHpA)	0.017	J	0.027	0.012	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorohexanoic acid (PFHxA)	0.052		0.018	0.0026	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorononanoic acid (PFNA)	0.015	U	0.036	0.015	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorooctanoic acid (PFOA)	0.040		0.018	0.0087	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorooctane sulfonate (PFOS)	0.071		0.027	0.012	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluoropentanoic acid (PFPA)	0.088		0.027	0.0097	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorobutanesulfonic acid (PFBS)	0.19		0.018	0.0073	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorodecanesulfonic acid (PFDS)	0.0081	U	0.018	0.0081	ug/L		10/20/18 14:28	11/01/18 00:38	1
Perfluorohexanesulfonic acid (PFHxS)	0.0062	U	0.027	0.0062	ug/L		10/20/18 14:28	11/01/18 00:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	103		60 - 155				10/20/18 14:28	11/01/18 00:38	1
13C8 PFOS	104		45 - 130				10/20/18 14:28	11/01/18 00:38	1

Client Sample ID: GADSDEN-FINISHED

Lab Sample ID: 280-115506-2 Date Collected: 10/11/18 12:00 Matrix: Water

Date Received: 10/12/18 10:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.032		0.019	0.0091	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorodecanoic acid (PFDA)	0.0073	U	0.019	0.0073	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluoroheptanoic acid (PFHpA)	0.017	J	0.028	0.012	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorohexanoic acid (PFHxA)	0.055		0.019	0.0027	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorononanoic acid (PFNA)	0.016	U	0.037	0.016	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorooctanoic acid (PFOA)	0.037		0.019	0.0091	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorooctane sulfonate (PFOS)	0.055		0.028	0.012	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluoropentanoic acid (PFPA)	0.089		0.028	0.010	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.037	0.016	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluoroundecanoic acid (PFUnA)	0.0064	U	0.019	0.0064	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorobutanesulfonic acid (PFBS)	0.17		0.019	0.0077	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorodecanesulfonic acid (PFDS)	0.0085	U	0.019	0.0085	ug/L		10/20/18 14:28	11/01/18 00:50	1
Perfluorohexanesulfonic acid (PFHxS)	0.0065	U	0.028	0.0065	ug/L		10/20/18 14:28	11/01/18 00:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	103		60 - 155				10/20/18 14:28	11/01/18 00:50	1
13C8 PFOS	105		45 - 130				10/20/18 14:28	11/01/18 00:50	1



Job Number: 280-115651-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for releast Dil.ea R Bindel Project Manager I 11/5/2018 7:34 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115651-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
а	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-115651-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/17/2018 9:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.5° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-115651-1) and GADSDEN-FINISHED (280-115651-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/18/2018 and analyzed on 10/31/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-115651-1) and GADSDEN-FINISHED (280-115651-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115651-1

Lab Sample ID: 280-115651-1

Matrix: Water

Client Sample ID: GADSDEN-RAW

Date Collected: 10/15/18 21:38 Date Received: 10/17/18 09:40

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.036		0.018	0.0086	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorodecanoic acid (PFDA)	0.0074	J	0.018	0.0069	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluoroheptanoic acid (PFHpA)	0.020	J	0.026	0.012	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorohexanoic acid (PFHxA)	0.064		0.018	0.0026	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorooctanoic acid (PFOA)	0.045		0.018	0.0086	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorooctane sulfonate (PFOS)	0.073		0.026	0.012	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluoropentanoic acid (PFPA)	0.11		0.026	0.0096	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.035	0.016	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorobutanesulfonic acid (PFBS)	0.22		0.018	0.0073	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorodecanesulfonic acid (PFDS)	0.0081	U	0.018	0.0081	ug/L		10/18/18 17:27	10/31/18 22:35	1
Perfluorohexanesulfonic acid (PFHxS)	0.0061	J	0.026	0.0061	ug/L		10/18/18 17:27	10/31/18 22:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	101		60 - 155				10/18/18 17:27	10/31/18 22:35	1
13C8 PFOS	106		45 - 130				10/18/18 17:27	10/31/18 22:35	1

Client Sample ID: GADSDEN-FINISHED

Date Collected: 10/16/18 12:00

Date Received: 10/17/18 09:40

Lab Sam	ple ID:	280-1	15651-2
---------	---------	-------	---------

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.039		0.018	0.0089	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorodecanoic acid (PFDA)	0.0071	U	0.018	0.0071	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.027	0.014	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluoroheptanoic acid (PFHpA)	0.019	J	0.027	0.012	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorohexanoic acid (PFHxA)	0.062		0.018	0.0027	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorooctanoic acid (PFOA)	0.040		0.018	0.0089	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorooctane sulfonate (PFOS)	0.059		0.027	0.012	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluoropentanoic acid (PFPA)	0.11		0.027	0.0099	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluoroundecanoic acid (PFUnA)	0.0063	U	0.018	0.0063	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorobutanesulfonic acid (PFBS)	0.22		0.018	0.0075	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorodecanesulfonic acid (PFDS)	0.0083	U	0.018	0.0083	ug/L		10/18/18 17:27	10/31/18 22:48	1
Perfluorohexanesulfonic acid (PFHxS)	0.0064	U	0.027	0.0064	ug/L		10/18/18 17:27	10/31/18 22:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	99		60 - 155				10/18/18 17:27	10/31/18 22:48	1
13C8 PFOS	99		45 - 130				10/18/18 17:27	10/31/18 22:48	1



Job Number: 280-115994-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I 11/5/2018 7:37 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115994-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
В	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL. RA. RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-115994-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/24/2018 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples Gadsden-Raw (280-115994-1) and Gadsden-Finished (280-115994-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/26/2018 and analyzed on 10/31/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: Gadsden-Raw (280-115994-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-115994-1

Client Sample ID: Gadsden-Raw Lab Sample ID: 280-115994-1

Date Collected: 10/22/18 20:11 Date Received: 10/24/18 09:45 Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.034		0.017	0.0082	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorodecanoic acid (PFDA)	0.0068	J	0.017	0.0066	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluoroheptanoic acid (PFHpA)	0.017	J	0.025	0.011	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorohexanoic acid (PFHxA)	0.060		0.017	0.0024	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorononanoic acid (PFNA)	0.015	U	0.034	0.015	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorooctanoic acid (PFOA)	0.043		0.017	0.0082	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorooctane sulfonate (PFOS)	0.076		0.025	0.011	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluoropentanoic acid (PFPA)	0.095		0.025	0.0091	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.034	0.015	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluoroundecanoic acid (PFUnA)	0.0058	U	0.017	0.0058	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorobutanesulfonic acid (PFBS)	0.21		0.017	0.0069	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorodecanesulfonic acid (PFDS)	0.0077	U	0.017	0.0077	ug/L		10/26/18 17:16	10/31/18 18:17	1
Perfluorohexanesulfonic acid (PFHxS)	0.0058	U	0.025	0.0058	ug/L		10/26/18 17:16	10/31/18 18:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	100		60 - 155				10/26/18 17:16	10/31/18 18:17	
13C8 PFOS	107		45 - 130				10/26/18 17:16	10/31/18 18:17	1

Client Sample ID: Gadsden-Finished

Date Collected: 10/23/18 12:00 Date Received: 10/24/18 09:45 Lab Sample ID: 280-115994-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.033		0.018	0.0089	ug/L	777	10/26/18 17:16	10/31/18 18:30	1
Perfluorodecanoic acid (PFDA)	0.0071	U	0.018	0.0071	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.027	0.014	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluoroheptanoic acid (PFHpA)	0.018	J	0.027	0.012	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorohexanoic acid (PFHxA)	0.055		0.018	0.0027	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorooctanoic acid (PFOA)	0.035		0.018	0.0089	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorooctane sulfonate (PFOS)	0.057		0.027	0.012	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluoropentanoic acid (PFPA)	0.090		0.027	0.0099	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluoroundecanoic acid (PFUnA)	0.0063	U	0.018	0.0063	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorobutanesulfonic acid (PFBS)	0.19		0.018	0.0075	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorodecanesulfonic acid (PFDS)	0.0083	U	0.018	0.0083	ug/L		10/26/18 17:16	10/31/18 18:30	1
Perfluorohexanesulfonic acid (PFHxS)	0.0063	U	0.027	0.0063	ug/L		10/26/18 17:16	10/31/18 18:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	99		60 - 155				10/26/18 17:16	10/31/18 18:30	1
13C8 PFOS	103		45 - 130				10/26/18 17:16	10/31/18 18:30	1



Job Number: 280-116563-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I 11/15/2018 3:34 PM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/15/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

Toxicity Equivalent Quotient (Dioxin)

TEQ

TestAmerica Job ID: 280-116563-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
Ū	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
0	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-116563-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/3/2018 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-116563-1) and GADSDEN-FINISHED (280-116563-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 11/07/2018 and analyzed on 11/08/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-116563-1) and GADSDEN-FINISHED (280-116563-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-116563-1

Lab Sample ID: 280-116563-1

Matrix: Water

Client Sample ID: GADSDEN-RAW

Date Collected: 10/31/18 21:15 Date Received: 11/03/18 09:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.028		0.018	0.0087	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorodecanoic acid (PFDA)	0.0069	U	0.018	0.0069	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluoroheptanoic acid (PFHpA)	0.018	J	0.026	0.012	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorohexanoic acid (PFHxA)	0.053		0.018	0.0026	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorooctanoic acid (PFOA)	0.035		0.018	0.0086	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorooctane sulfonate (PFOS)	0.072		0.026	0.012	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluoropentanoic acid (PFPA)	0.094		0.026	0.0096	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.035	0.016	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorobutanesulfonic acid (PFBS)	0.22		0.018	0.0073	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorodecanesulfonic acid (PFDS)	0.0081	U	0.018	0.0081	ug/L		11/07/18 12:23	11/08/18 16:35	1
Perfluorohexanesulfonic acid (PFHxS)	0.0062	U	0.026	0.0062	ug/L		11/07/18 12:23	11/08/18 16:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	101		60 - 155				11/07/18 12:23	11/08/18 16:35	1
13C8 PFOS	111		45 - 130		7		11/07/18 12:23	11/08/18 16:35	1

Client Sample ID: GADSDEN-FINISHED

Date Collected: 11/01/18 12:00 Date Received: 11/03/18 09:00 Lab Sample ID: 280-116563-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.026		0.018	0.0088	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluoroheptanoic acid (PFHpA)	0.016	J	0.027	0.012	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorohexanoic acid (PFHxA)	0.052		0.018	0.0026	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorooctanoic acid (PFOA)	0.036		0.018	0.0088	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorooctane sulfonate (PFOS)	0.051		0.027	0.012	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluoropentanoic acid (PFPA)	0.087		0.027	0.0098	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluoroundecanoic acid (PFUnA)	0.0062	U	0.018	0.0062	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorobutanesulfonic acid (PFBS)	0.20		0.018	0.0074	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorodecanesulfonic acid (PFDS)	0.0082	U	0.018	0.0082	ug/L		11/07/18 12:23	11/08/18 16:48	1
Perfluorohexanesulfonic acid (PFHxS)	0.0063	U	0.027	0.0063	ug/L		11/07/18 12:23	11/08/18 16:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	99		60 - 155				11/07/18 12:23	11/08/18 16:48	1
13C8 PFOS	109		45 - 130				11/07/18 12:23	11/08/18 16:48	1



Job Number: 280-116687-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I 11/15/2018 3:40 PM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/15/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-116687-1

Qualifiers	
LCMS Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
0	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-116687-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/7/2018 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-116687-1) and GADSDEN-FINISHED (280-116687-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 11/10/2018 and analyzed on 11/14/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-116687-1) and GADSDEN-FINISHED (280-116687-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-116687-1

Client Sample ID: GADSDEN-RAW

Date Collected: 11/05/18 20:17 Date Received: 11/07/18 09:00 Lab Sample ID: 280-116687-1

Matrix: Water

Method: DV-LC-0012 - Fluorina Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.027		0.017	0.0081	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorodecanoic acid (PFDA)	0.0065	U	0.017	0.0065	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluoroheptanoic acid (PFHpA)	0.019	J	0.025	0.011	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorohexanoic acid (PFHxA)	0.051		0.017	0.0024	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorononanoic acid (PFNA)	0.014	U	0.033	0.014	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorooctanoic acid (PFOA)	0.041		0.017	0.0081	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorooctane sulfonate (PFOS)	0.070		0.025	0.011	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluoropentanoic acid (PFPA)	0.086		0.025	0.0090	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.033	0.015	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluoroundecanoic acid (PFUnA)	0.0057	U	0.017	0.0057	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorobutanesulfonic acid (PFBS)	0.23		0.017	0.0068	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorodecanesulfonic acid (PFDS)	0.0076	U	0.017	0.0076	ug/L		11/10/18 13:32	11/14/18 12:47	1
Perfluorohexanesulfonic acid (PFHxS)	0.0058	U	0.025	0.0058	ug/L		11/10/18 13:32	11/14/18 12:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	99		60 - 155				11/10/18 13:32	11/14/18 12:47	1
13C8 PFOS	110		45 - 130				11/10/18 13:32	11/14/18 12:47	1

Client Sample ID: GADSDEN-FINISHED

Date Collected: 11/06/18 12:00 Date Received: 11/07/18 09:00 Lab Sample ID: 280-116687-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.027		0.018	0.0086	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorodecanoic acid (PFDA)	0.0068	U	0.018	0.0068	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.026	0.012	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorohexanoic acid (PFHxA)	0.049		0.018	0.0025	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorooctanoic acid (PFOA)	0.036		0.018	0.0086	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorooctane sulfonate (PFOS)	0.060		0.026	0.012	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluoropentanoic acid (PFPA)	0.080		0.026	0.0095	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.035	0.015	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluoroundecanoic acid (PFUnA)	0.0060	U	0.018	0.0060	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorobutanesulfonic acid (PFBS)	0.21		0.018	0.0072	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorodecanesulfonic acid (PFDS)	0.0080	U	0.018	0.0080	ug/L		11/10/18 13:32	11/14/18 12:59	1
Perfluorohexanesulfonic acid (PFHxS)	0.0061	U	0.026	0.0061	ug/L		11/10/18 13:32	11/14/18 12:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	100		60 - 155				11/10/18 13:32	11/14/18 12:59	1
13C8 PFOS	111		45 - 130				11/10/18 13:32	11/14/18 12:59	1



Job Number: 280-109004-1

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Stephanie Rothmeyer

Approved for release. Stephanie K Rothmeye Project Manager I 5/14/2018 3.51 PM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 05/14/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-109004-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
а	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-109004-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 4/26/2018 at 9:15 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY-FINISHED (280-109004-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 05/05/2018 and analyzed on 05/10/2018.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-109004-1

Client Sample ID: COOSA VALLEY-FINISHED

Lab Sample ID: 280-109004-1

Date Collected: 04/23/18 11:40 Date Received: 04/26/18 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Perfluorobutane Sulfonate (PFBS)	0.051		0.019	0.0079	ug/L	 -	05/05/18 12:12	05/10/18 19:11		1
Perfluorobutanoic acid (PFBA)	0.0094	U	0.019	0.0094	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorodecane sulfonate (PFDS)	0.0088	U	0.019	0.0088	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorodecanoic acid (PFDA)	0.0075	U	0.019	0.0075	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.029	0.014	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluoroheptanoic acid (PFHpA)	0.013	U	0.029	0.013	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorohexane Sulfonate (PFHxS)	0.0067	U	0.029	0.0067	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorohexanoic acid (PFHxA)	0.017	J	0.019	0.0028	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorononanoic acid (PFNA)	0.017	U	0.038	0.017	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorooctanoic acid (PFOA)	0.017	J	0.019	0.0094	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorooctane Sulfonate (PFOS)	0.019	J	0.029	0.013	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluoropentanoic acid (PFPA)	0.025	J	0.029	0.010	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.029	0.014	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.038	0.017	ug/L		05/05/18 12:12	05/10/18 19:11		1
Perfluoroundecanoic acid (PFUnA)	0.0066	U	0.019	0.0066	ug/L		05/05/18 12:12	05/10/18 19:11		1

Surrogate	%Recovery Q	Qualifier Limits	Prepared	Analyzed	Dil Fac
13C8 PFOA	110	60 - 155	05/05/18 12:12	05/10/18 19:11	1
13C8 PFOS	90	45 - 130	05/05/18 12:12	05/10/18 19:11	1



Job Number: 280-114022-1

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Stiphanie Rothmeyer

Approved for release. Stephanie K Rothmeye Project Manager I 9/12/2018 11:44 AM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 09/12/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-114022-1

Qualifiers							
LCMS Qualifier	Qualifier Description						
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.						
Indicates the analyte was analyzed for but not detected.							
Glossary							
Abbreviation	These commonly used abbreviations may or may not be present in this report.						
а	Listed under the "D" column to designate that the result is reported on a dry weight basis						
%R	Percent Recovery						
CFL	Contains Free Liquid						
CNF	Contains No Free Liquid						
DER	Duplicate Error Ratio (normalized absolute difference)						
Dil Fac	Dilution Factor						
DL	Detection Limit (DoD/DOE)						
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample						
DLC	Decision Level Concentration (Radiochemistry)						
EDL	Estimated Detection Limit (Dioxin)						
LOD	Limit of Detection (DoD/DOE)						
LOQ	Limit of Quantitation (DoD/DOE)						
MDA	Minimum Detectable Activity (Radiochemistry)						
MDC	Minimum Detectable Concentration (Radiochemistry)						
MDL	Method Detection Limit						
ML	Minimum Level (Dioxin)						
NC	Not Calculated						
ND	Not Detected at the reporting limit (or MDL or EDL if shown)						
PQL	Practical Quantitation Limit						
QC	Quality Control						
RER	Relative Error Ratio (Radiochemistry)						
RL	Reporting Limit or Requested Limit (Radiochemistry)						
RPD	Relative Percent Difference, a measure of the relative difference between two points						
TEF	Toxicity Equivalent Factor (Dioxin)						
TEQ	Toxicity Equivalent Quotient (Dioxin)						

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-114022-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 9/6/2018 at 9:00 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY WTP-FINISHED (280-114022-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 09/08/2018 and analyzed on 09/10/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: COOSA VALLEY WTP-FINISHED (280-114022-1), (LCS 280-428995/2-A), (LCSD 280-428995/3-A), (MB 280-428995/1-A). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the samples.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-114022-1

Client Sample ID: COOSA VALLEY WTP-FINISHED

Date Collected: 09/04/18 11:30 Date Received: 09/06/18 09:00 Lab Sample ID: 280-114022-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.088		0.018	0.0073	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorobutanoic acid (PFBA)	0.014	J	0.018	0.0087	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorodecane sulfonate (PFDS)	0.0082	U	0.018	0.0082	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.027	0.012	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorohexane Sulfonate (PFHxS)	0.0062	U	0.027	0.0062	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorohexanoic acid (PFHxA)	0.027		0.018	0.0026	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorooctanoic acid (PFOA)	0.025		0.018	0.0087	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorooctane Sulfonate (PFOS)	0.044		0.027	0.012	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoropentanoic acid (PFPA)	0.053		0.027	0.0097	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorotridecanoic Acid (PFTriA)	0.016	U	0.036	0.016	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		09/08/18 14:10	09/10/18 23:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	87		60 - 155				09/08/18 14:10	09/10/18 23:21	1
13C8 PFOS	100		45 - 130				09/08/18 14:10	09/10/18 23:21	1



Job Number: 280-114022-1

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Stiphani Rothmeyer

Approved for release. Stephanie K Rothmeyer Project Manager I 9/12/2018 11:44 AM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 09/12/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-114022-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
0	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-114022-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 9/6/2018 at 9:00 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY WTP-FINISHED (280-114022-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 09/08/2018 and analyzed on 09/10/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: COOSA VALLEY WTP-FINISHED (280-114022-1), (LCS 280-428995/2-A), (LCSD 280-428995/3-A), (MB 280-428995/1-A). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the samples.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-114022-1

Client Sample ID: COOSA VALLEY WTP-FINISHED Date Collected: 09/04/18 11:30

Date Received: 09/06/18 09:00

Lab Sample ID: 280-114022-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.088		0.018	0.0073	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorobutanoic acid (PFBA)	0.014	J	0.018	0.0087	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorodecane sulfonate (PFDS)	0.0082	U	0.018	0.0082	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.027	0.012	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorohexane Sulfonate (PFHxS)	0.0062	U	0.027	0.0062	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorohexanoic acid (PFHxA)	0.027		0.018	0.0026	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorooctanoic acid (PFOA)	0.025		0.018	0.0087	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorooctane Sulfonate (PFOS)	0.044		0.027	0.012	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoropentanoic acid (PFPA)	0.053		0.027	0.0097	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluorotridecanoic Acid (PFTriA)	0.016	U	0.036	0.016	ug/L		09/08/18 14:10	09/10/18 23:21	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		09/08/18 14:10	09/10/18 23:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	87		60 - 155				09/08/18 14:10	09/10/18 23:21	1
13C8 PFOS	100		45 - 130				09/08/18 14:10	09/10/18 23:21	1



Job Number: 280-101712-1

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stephanie Rothmeyer

Approved for release. Stephanie K Rothmeyer Project Manager I 10/12/2017 10:36 AM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 10/12/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 <u>www.testamericainc.com</u>

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-101712-1

Qualifiers

and the concentration is an approximate value.
ard: Instrument related QC is outside acceptance limits.

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
<u> </u>	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-101712-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 9/28/2017 at 8:40 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.9° C.

No analyses were requested on the COC for the following sample: COOSA VALLEY WTP-FINISHED (280-101712-1). Per volume received, the sample was logged for PFC analysis. The client was notified on 9/29/17.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY WTP-FINISHED (280-101712-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/02/2017 and analyzed on 10/06/2017.

Perfluorobutane Sulfonate (PFBS), Perfluorohexanoic acid (PFHxA) and Perfluorooctane Sulfonate (PFOS) were detected in method blank MB 280-389648/1-A at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

The detection limit check (DLCK) failed high for Perfluorotetradecanoic acid (PFTeA). The samples were all non-detect for this analyte; therefore, the date are reported.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: COOSA VALLEY WTP-FINISHED (280-101712-1), (ICB 280-390299/12). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the samples.

The internal standard 13C2 PFDoA (IS) failed high in the CCVs associated with batch 280-390299. The target analyte was in control.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-101712-1

Client Sample ID: COOSA VALLEY WTP-FINISHED

Lab Sample ID: 280-101712-1

Date Collected: 09/27/17 12:20 Date Received: 09/28/17 08:40

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.064	В	0.023	0.0014	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorobutanoic acid (PFBA)	0.017	J	0.023	0.0023	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorodecane sulfonate (PFDS)	0.0015	U	0.023	0.0015	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorodecanoic acid (PFDA)	0.0064	J	0.023	0.00077	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorododecanoic acid (PFDoA)	0.00098	U	0.034	0.00098	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluoroheptanoic acid (PFHpA)	0.011	J	0.034	0.0010	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorohexane Sulfonate (PFHxS)	0.0064	J	0.034	0.0021	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorohexanoic acid (PFHxA)	0.030	В	0.023	0.0011	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorononanoic acid (PFNA)	0.0060	J	0.045	0.0011	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorooctanoic acid (PFOA)	0.023		0.023	0.0010	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorooctane Sulfonate (PFOS)	0.042	В	0.034	0.0013	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluoropentanoic acid (PFPA)	0.046		0.034	0.00077	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorotetradecanoic acid (PFTeA)	0.0012	U ^	0.034	0.0012	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluorotridecanoic Acid (PFTriA)	0.00099	U	0.045	0.00099	ug/L		10/02/17 10:14	10/06/17 03:11	1
Perfluoroundecanoic acid (PFUnA)	0.00090	U	0.023	0.00090	ug/L		10/02/17 10:14	10/06/17 03:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	117		60 - 155				10/02/17 10:14	10/06/17 03:11	1
13C8 PFOS	114		45 - 130				10/02/17 10:14	10/06/17 03:11	1



Job Number: 280-115044-1

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I 10/12/2018 2 03 PM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 10/12/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-115044-1

Qualifiers

LCMS		
Qualifier	Qualifier Description	
U	Indicates the analyte was analyzed for but not detected.	
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
п	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-115044-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the maintain sections below.

RECEIPT

The sample was received on 10/3/2018 9:15 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample Coosa Valley - Finished (280-115044-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/05/2018 and analyzed on 10/08/2018.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-115044-1

Client Sample ID: Coosa Valley - Finished

Date Collected: 10/02/18 10:20 Date Received: 10/03/18 09:15 Lab Sample ID: 280-115044-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.017		0.017	0.0085	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorodecanoic acid (PFDA)	0.0068	U	0.017	0.0068	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluoroheptanoic acid (PFHpA)	0.013	J	0.026	0.011	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorohexanoic acid (PFHxA)	0.031		0.017	0.0025	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorooctanoic acid (PFOA)	0.025		0.017	0.0085	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorooctane sulfonate (PFOS)	0.043		0.026	0.012	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluoropentanoic acid (PFPA)	0.052		0.026	0.0095	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.035	0.015	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluoroundecanoic acid (PFUnA)	0.0060	U	0.017	0.0060	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorobutanesulfonic acid (PFBS)	0.11		0.017	0.0072	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorodecanesulfonic acid (PFDS)	0.0080	U	0.017	0.0080	ug/L		10/05/18 18:59	10/08/18 16:17	1
Perfluorohexanesulfonic acid (PFHxS)	0.0061	U	0.026	0.0061	ug/L		10/05/18 18:59	10/08/18 16:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	89		60 - 155				10/05/18 18:59	10/08/18 16:17	1
13C8 PFOS	102		45 - 130				10/05/18 18:59	10/08/18 16:17	1



Job Number: 280-88941-4

Job Description: ADEM PFC Sampling Water - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stiphanie Rothmyn

Approved for release. Stephanie K Rothmeyer Project Manager I 10/17/2016 3:06 PM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 10/17/2016

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling Water - Coosa Valley TestAmerica Job ID: 280-88941-4

Qualifiers LCMS

Qualifier **Qualifier Description** Indicates the analyte was analyzed for but not detected.

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

TEF

TEQ

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND .	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling Water - Coosa Valley

Report Number: 280-88941-4

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 9/29/2016 at 7:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.8° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY-FINISHED (280-88941-6) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/11/2016 and analyzed on 10/13/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PERFLUOROOCTANE SULFONAMIDE (FOSA)

Sample COOSA VALLEY-FINISHED (280-88941-6) was analyzed for Perfluorooctane Sulfonamide (FOSA) in accordance with SOP DV-LC-0012. The samples were prepared on 10/10/2016 and analyzed on 10/12/2016.

The Internal Standard 13C8 FOSA (IS) failed low in batch 345862 in the Method Blank and/or low in the LCS in batch 346074. The LCS was in control for the target analyte, FOSA. Some samples also failed low for IS, but were non-detect. A low internal standard recovery would result in a biased high result for the target analyte. Since sample was non-detect they are reported.

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling Water - Coosa Valley

TestAmerica Job ID: 280-88941-4

Client Sample ID: COOSA VALLEY-FINISHED

Date Collected: 09/28/16 15:05 Date Received: 09/29/16 07:05 Lab Sample ID: 280-88941-6 Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.061		0.019	0.0078	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorobutanoic acid (PFBA)	0.016	J	0.019	0.0093	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorodecane sulfonate (PFDS)	0.0087	U	0.019	0.0087	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorodecanoic acid (PFDA)	0.0074	U	0.019	0.0074	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluoroheptanoic acid (PFHpA)	0.014	J	0.028	0.013	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorohexane Sulfonate (PFHxS)	0.0066	U	0.028	0.0066	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorohexanoic acid (PFHxA)	0.039		0.019	0.0028	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorononanoic acid (PFNA)	0.016	U	0.038	0.016	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorooctanoic acid (PFOA)	0.025		0.019	0.0093	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorooctane Sulfonate (PFOS)	0.035		0.028	0.013	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluoropentanoic acid (PFPA)	0.049		0.028	0.010	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.038	0.017	ug/L		10/11/16 18:47	10/13/16 00:48	1
Perfluoroundecanoic acid (PFUnA)	0.0065	U	0.019	0.0065			10/11/16 18:47	10/13/16 00:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	109	-	60 - 155				10/11/16 18:47	10/13/16 00:48	1
13C8 PFOS	94		45 - 130				10/11/16 18:47	10/13/16 00:48	1
Method: PFC -FOSA - FOSA in	Water (LC	/MS/MS)							
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctane Sulfonamide (FOSA)	0.0054	U	0.047	0.0054	ug/L	-	10/10/16 19:00	10/12/16 18:51	



Job Number: 280-89560-1

Job Description: ADEM PFC Sampling Water - CV

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stephanie Rothmeyer

Approved for release. Stephanie K Rothmeye Project Manager I 10/25/2016 4:21 PM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 10/25/2016

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling Water - CV

TestAmerica Job ID: 280-89560-1

Qualifiers	
LCMS Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
п	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling Water - CV

Report Number: 280-89560-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/13/2016 at 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.1° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples CV-RIVER (280-89560-1) and CV-QUARRY (280-89560-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/19/2016 and analyzed on 10/20/2016.

Internal standard responses were outside of acceptance limits for the following samples: CV-RIVER (280-89560-1), CV-QUARRY (280-89560-2). The samples show evidence of matrix interference. Several internal standards failed in the samples due to matrix.

During the solid phase extraction process, the following sample clogged the cartridge: CV-RIVER (280-89560-1). Therefore, the IS volume was adjusted to match the volume of sample extracted. As such, reporting limits (RLs) are not impacted.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PERFLUOROOCTANE SULFONAMIDE (FOSA)

Samples CV-RIVER (280-89560-1) and CV-QUARRY (280-89560-2) were analyzed for Perfluorooctane Sulfonamide (FOSA) in accordance with SOP DV-LC-0012. The samples were prepared on 10/20/2016 and analyzed on 10/21/2016.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling Water - CV

TestAmerica Job ID: 280-89560-1

Client Sample ID: CV-RIVER

Lab Sample ID: 280-89560-1 Date Collected: 10/12/16 13:35

Date Received: 10/13/16 10:00

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.060		0.034	0.014	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorobutanoic acid (PFBA)	0.021	J	0.034	0.017	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorodecane sulfonate (PFDS)	0.016	U	0.034	0.016	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorodecanoic acid (PFDA)	0.013	U	0.034	0.013	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorododecanoic acid (PFDoA)	0.025	U	0.051	0.025	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluoroheptanoic acid (PFHpA)	0.022	U	0.051	0.022	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorohexane Sulfonate (PFHxS)	0.012	U	0.051	0.012	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorohexanoic acid (PFHxA)	0.048		0.034	0.0049	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorononanoic acid (PFNA)	0.029	U	0.068	0.029	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorooctanoic acid (PFOA)	0.027	J	0.034	0.017	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorooctane Sulfonate (PFOS)	0.041	J	0.051	0.023	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluoropentanoic acid (PFPA)	0.065		0.051	0.018	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorotetradecanoic acid (PFTeA)	0.025	U	0.051	0.025	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluorotridecanoic Acid (PFTriA)	0.030	U	0.068	0.030	ug/L		10/19/16 18:30	10/20/16 17:47	1
Perfluoroundecanoic acid (PFUnA)	0.012	U	0.034	0.012	ug/L		10/19/16 18:30	10/20/16 17:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	107		60 - 155				10/19/16 18:30	10/20/16 17:47	
13C8 PFOS	97		45 - 130				10/19/16 18:30	10/20/16 17:47	1
Method: PFC -FOSA - FOSA in	Water (LC	/MS/MS)							
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctane Sulfonamide (FOSA)	0.0052	U	0.045	0.0052	ug/L	-	10/20/16 17:30	10/21/16 16:25	1

Client Sample ID: CV-QUARRY

Date Collected: 10/12/16 13:25

Date Received: 10/13/16 10:00

Lab Sample ID: 280-89560-2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.066		0.018	0.0075	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorobutanoic acid (PFBA)	0.021		0.018	0.0089	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorodecane sulfonate (PFDS)	0.0083	U	0.018	0.0083	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorodecanoic acid (PFDA)	0.0071	U	0.018	0.0071	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.027	0.014	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluoroheptanoic acid (PFHpA)	0.012	U	0.027	0.012	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorohexane Sulfonate (PFHxS)	0.0063	U	0.027	0.0063	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorohexanoic acid (PFHxA)	0.036		0.018	0.0026	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorooctanoic acid (PFOA)	0.022		0.018	0.0089	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorooctane Sulfonate (PFOS)	0.039		0.027	0.012	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluoropentanoic acid (PFPA)	0.052		0.027	0.0099	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluorotridecanoic Acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/19/16 18:30	10/20/16 17:59	1
Perfluoroundecanoic acid (PFUnA)	0.0063	U	0.018	0.0063	ug/L		10/19/16 18:30	10/20/16 17:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	108		60 - 155				10/19/16 18:30	10/20/16 17:59	1
13C8 PFOS	98		45 - 130				10/19/16 18:30	10/20/16 17:59	1

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling Water - CV

TestAmerica Job ID: 280-89560-1

Client Sample ID: CV-QUARRY

Date Collected: 10/12/16 13:25 Date Received: 10/13/16 10:00 Lab Sample ID: 280-89560-2

Method: PFC -FOSA - FOSA in V	Vater (LC	/MS/MS)							
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctane Sulfonamide (FOSA)	0.0051	U	0.045	0.0051	ug/L		10/20/16 17:30	10/21/16 16:37	

v					



Job Number: 280-92490-3

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stiphanie Rothmeyer

Approved for release. Stephanie K Rothmeyer Project Manager I 12/31/2016 1:10 PM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 12/31/2016

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 <u>www.testamericainc.com</u>

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

Toxicity Equivalent Quotient (Dioxin)

TEQ

TestAmerica Job ID: 280-92490-3

Qualifiers	
LCMS Qualifier	Outliffer Description
J	Qualifier Description Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
400000000000000000000000000000000000000	and the control of the company and the control of t

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-92490-3

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 12/22/2016 at 10:35 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.0°C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY-FINISHED (280-92490-4) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 12/27/2016 and analyzed on 12/28/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PERFLUOROOCTANE SULFONAMIDE (FOSA)

Sample COOSA VALLEY-FINISHED (280-92490-4) was analyzed for Perfluorooctane Sulfonamide (FOSA) in accordance with SOP DV-LC-0012. The samples were prepared on 12/28/2016 and analyzed on 12/29/2016.

Internal standard responses were outside of acceptance limits for the following sample: COOSA VALLEY-FINISHED (280-92490-4). The sample shows evidence of matrix interference. 13C4 FOSA failed in the samples, but was in control in the Method Blank, LCS and LCSD, indicating matrix is the cause.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-92490-3

Client Sample ID: COOSA VALLEY-FINISHED

Date Collected: 12/20/16 12:15 Date Received: 12/22/16 10:35 Lab Sample ID: 280-92490-4

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.049		0.019	0.0077	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorobutanoic acid (PFBA)	0.013	J	0.019	0.0092	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorodecane sulfonate (PFDS)	0.0086	U	0.019	0.0086	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorodecanoic acid (PFDA)	0.0073	U	0.019	0.0073	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluoroheptanoic acid (PFHpA)	0.012	U	0.028	0.012	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorohexane Sulfonate (PFHxS)	0.0065	U	0.028	0.0065	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorohexanoic acid (PFHxA)	0.041		0.019	0.0027	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorononanoic acid (PFNA)	0.016	U	0.037	0.016	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorooctanoic acid (PFOA)	0.020		0.019	0.0092	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorooctane Sulfonate (PFOS)	0.019	J	0.028	0.012	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluoropentanoic acid (PFPA)	0.051		0.028	0.010	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.037	0.017	ug/L		12/27/16 10:22	12/28/16 21:16	1
Perfluoroundecanoic acid (PFUnA)	0.0064	U	0.019	0.0064	ug/L		12/27/16 10:22	12/28/16 21:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	105		60 - 155				12/27/16 10:22	12/28/16 21:16	1
13C8 PFOS	104		45 - 130				12/27/16 10:22	12/28/16 21:16	1
Method: PFC -FOSA - FOSA in	Water (LC	(MS/MS)							
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctane Sulfonamide (FOSA)	0.0051	U	0.045	0.0051	ug/L		12/28/16 09:49	12/29/16 17:51	1



Job Number: 280-95151-1

Job Description: ADEM PFC Sampling

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stiphani Rothmeyer

Approved for release. Stephanie K Rothmeyer Project Manager I 4/7/2017 9:17 AM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 04/07/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling

TestAmerica Job ID: 280-95151-1

0	lifiers
1.1112	IIIIPIS

1 /	$\overline{}$	B /	٩	c
Ľ	•	I۷	ı	J

LOING	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary		
Abbreviation	These commonly used abbreviations may or may not be present in this report.	
п	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	
CNF	Contains no Free Liquid	
DER	Duplicate error ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision level concentration	
MDA	Minimum detectable activity	
EDL	Estimated Detection Limit	
MDC	Minimum detectable concentration	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
NC	Not Calculated	
ND	Not detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RER	Relative error ratio	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dloxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling

Report Number: 280-95151-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 3/24/2017 at 10:25 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.3° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY (280-95151-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 03/29/2017 and analyzed on 03/30/2017.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

PERFLUOROOCTANE SULFONAMIDE (FOSA)

Sample COOSA VALLEY (280-95151-1) was analyzed for Perfluorooctane Sulfonamide (FOSA) in accordance with SOP DV-LC-0012. The samples were prepared on 04/02/2017 and analyzed on 04/05/2017.

Internal standard responses were outside of acceptance limits for the following sample: COOSA VALLEY (280-95151-1). The sample shows evidence of matrix interference.

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling

TestAmerica Job ID: 280-95151-1

Lab Sample ID: 280-95151-1

Matrix: Water

Client Sample ID: COOSA VALLEY

Date Collected: 03/21/17 11:50 Date Received: 03/24/17 10:25

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.044		0.018	0.0073	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorobutanoic acid (PFBA)	0.014	J	0.018	0.0087	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorodecane sulfonate (PFDS)	0.0081	U	0.018	0.0081	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.027	0.012	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorohexane Sulfonate (PFHxS)	0.0062	U	0.027	0.0062	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorohexanoic acid (PFHxA)	0.034		0.018	0.0026	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorononanoic acid (PFNA)	0.015	U	0.036	0.015	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorooctanoic acid (PFOA)	0.017	J	0.018	0.0087	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorooctane Sulfonate (PFOS)	0.018	J	0.027	0.012	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluoropentanoic acid (PFPA)	0.037		0.027	0.0097	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluorotridecanoic Acid (PFTriA)	0.016	U	0.036	0.016	ug/L		03/29/17 13:45	03/30/17 17:07	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		03/29/17 13:45	03/30/17 17:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	110	-	60 - 155				03/29/17 13:45	03/30/17 17:07	1
13C8 PFOS	104		45 - 130				03/29/17 13:45	03/30/17 17:07	1
Method: PFC -FOSA - FOSA in	Water (LC	/MS/MS)						0.40	
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctane Sulfonamide (FOSA)	0.0056	U	0.049	0.0056	ug/L		04/02/17 11:21	04/05/17 23:44	1



Job Number: 280-98809-3

Job Description: ADEM PFC Sampling - Coosa Valley

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Ed Poolos

Stiphanie Rothmeyer

Approved for release. Stephanie K Rothmeyer Project Manager I 7/21/2017 2:51 PM

Stephanie K Rothmeyer, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0182 stephanie.rothmeyer@testamericainc.com 07/21/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

RPD

TEF

TEQ

TestAmerica Job ID: 280-98809-3

Qualifiers	
LCMS	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
a	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
DDD	D. I. S. D. J. S. W. J. S. J. S.

Relative Percent Difference, a measure of the relative difference between two points

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Coosa Valley

Report Number: 280-98809-3

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 6/29/2017 at 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 1.5° C and 1.7° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample COOSA VALLEY-FINISHED (280-98809-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 07/05/2017 and analyzed on 07/14/2017.

Internal standard responses were outside of acceptance limits for the following sample: COOSA VALLEY-FINISHED (280-98809-1). The sample shows evidence of matrix interference.

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Coosa Valley

TestAmerica Job ID: 280-98809-3

Client Sample ID: COOSA VALLEY-FINISHED

Date Collected: 06/27/17 13:00 Date Received: 06/29/17 08:40 Lab Sample ID: 280-98809-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.054		0.019	0.0078	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorobutanoic acid (PFBA)	0.015	J	0.019	0.0092	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorodecane sulfonate (PFDS)	0.0086	U	0.019	0.0086	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorodecanoic acid (PFDA)	0.0074	U	0.019	0.0074	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.028	0.012	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorohexane Sulfonate (PFHxS)	0.0066	U	0.028	0.0066	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorohexanoic acid (PFHxA)	0.025		0.019	0.0027	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorononanoic acid (PFNA)	0.016	U	0.038	0.016	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorooctanoic acid (PFOA)	0.023		0.019	0.0092	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorooctane Sulfonate (PFOS)	0.043		0.028	0.013	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluoropentanoic acid (PFPA)	0.027	J	0.028	0.010	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.038	0.017	ug/L		07/05/17 09:57	07/14/17 17:18	1
Perfluoroundecanoic acid (PFUnA)	0.0065	U	0.019	0.0065	ug/L		07/05/17 09:57	07/14/17 17:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	103		60 - 155				07/05/17 09:57	07/14/17 17:18	1
13C8 PFOS	97		45 - 130	100			07/05/17 09:57	07/14/17 17:18	1



Job Number: 280-114789-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, Al. 35603

Attention: Mr. Bruce Freeman

Savielle Harrison

Approved for release Danielle M Harringto Project Manager II 10/5/2018 6:47 AM

Designee for
DiLea R Bindel, Project Manager I
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0173
dilea.bindel@testamericainc.com
10/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Centre

Toxicity Equivalent Quotient (Dioxin)

TestAmerica Job ID: 280-114789-1

Qualifi	e	rs
---------	---	----

-		-
	ľV	۱S

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
В	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

TEQ

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
D	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-114789-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 09/26/2018; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 0.8 C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples CENTRE-RAW (280-114789-1) and CENTRE-FINISHED (280-114789-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 09/27/2018 and analyzed on 09/28/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: CENTRE-RAW (280-114789-1) and CENTRE-FINISHED (280-114789-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

The opening continuing calibration verification (CCV) was high for 13C8 PFOS. The samples were in control and the closing CCV was in control, therefore, corrective action is deemed unnecessary.

Perfluorohexanoic acid (PFHxA) was detected in method blank MB 280-431186/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-114789-1

Lab Sample ID: 280-114789-1

Matrix: Water

Client Sample ID: CENTRE-RAW

Date Collected: 09/24/18 11:00 Date Received: 09/26/18 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.017		0.017	0.0083	ug/L	-	09/27/18 08:52	09/28/18 23:42	1
Perfluorodecanoic acid (PFDA)	0.0066	U	0.017	0.0066	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.025	0.013	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluoroheptanoic acid (PFHpA)	0.011	U	0.025	0.011	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorohexanoic acid (PFHxA)	0.025	В	0.017	0.0025	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorononanoic acid (PFNA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorooctanoic acid (PFOA)	0.022		0.017	0.0083	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorooctane Sulfonate (PFOS)	0.045		0.025	0.011	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluoropentanoic acid (PFPA)	0.046		0.025	0.0092	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluoroundecanoic acid (PFUnA)	0.0058	U	0.017	0.0058	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorobutanesulfonic acid (PFBS)	0.12		0.017	0.0070	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorodecanesulfonic acid (PFDS)	0.0078	U	0.017	0.0078	ug/L		09/27/18 08:52	09/28/18 23:42	1
Perfluorohexanesulfonic acid (PFHxS)	0.0059	U	0.025	0.0059	ug/L		09/27/18 08:52	09/28/18 23:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	88		60 - 155				09/27/18 08:52	09/28/18 23:42	1
13C8 PFOS	101		45 - 130				09/27/18 08:52	09/28/18 23:42	1

Client Sample ID: CENTRE-FINISHED

Date Collected: 09/25/18 12:55

Date Received: 09/26/18 09:15

Lab Sample ID: 280-114789-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.021		0.017	0.0086	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorodecanoic acid (PFDA)	0.0068	U	0.017	0.0068	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.026	0.012	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorohexanoic acid (PFHxA)	0.035	В	0.017	0.0025	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorooctanoic acid (PFOA)	0.032		0.017	0.0086	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorooctane Sulfonate (PFOS)	0.041		0.026	0.012	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluoropentanoic acid (PFPA)	0.068		0.026	0.0095	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.035	0.015	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluoroundecanoic acid (PFUnA)	0.0060	U	0.017	0.0060	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorobutanesulfonic acid (PFBS)	0.11		0.017	0.0072	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorodecanesulfonic acid (PFDS)	0.0080	U	0.017	0.0080	ug/L		09/27/18 08:52	09/28/18 23:55	1
Perfluorohexanesulfonic acid (PFHxS)	0.0061	U	0.026	0.0061	ug/L		09/27/18 08:52	09/28/18 23:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	86		60 - 155				09/27/18 08:52	09/28/18 23:55	1
13C8 PFOS	98		45 - 130				09/27/18 08:52	09/28/18 23:55	1



Job Number: 280-115650-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for releas DiLea R Bindel Project Manager I 11/5/2018 7:33 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Centre

Limit of Quantitation (DoD/DOE)

Method Detection Limit

Minimum Level (Dioxin) Not Calculated

Practical Quantitation Limit

Relative Error Ratio (Radiochemistry)

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

Quality Control

Minimum Detectable Activity (Radiochemistry)

. Minimum Detectable Concentration (Radiochemistry)

Not Detected at the reporting limit (or MDL or EDL if shown)

Relative Percent Difference, a measure of the relative difference between two points

Reporting Limit or Requested Limit (Radiochemistry)

Qualifiers

LOQ MDA

MDC

MDL

ML

NC

ND PQL

QC

RL

RPD

TEF

TEQ

RER

TestAmerica Job ID: 280-115650-1

LCMS									
Qualifier	Qualifier Description								
U	Indicates the analyte was analyzed for but not detected.								
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.								
Glossary									
Abbreviation	These commonly used abbreviations may or may not be present in this report.								
п	Listed under the "D" column to designate that the result is reported on a dry weight basis								
%R	Percent Recovery								
CFL	Contains Free Liquid								
CNF	Contains No Free Liquid								
DER	Duplicate Error Ratio (normalized absolute difference)								
Dil Fac	Dilution Factor								
DL	Detection Limit (DoD/DOE)								
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample								
DLC	Decision Level Concentration (Radiochemistry)								
EDL	Estimated Detection Limit (Dioxin)								
LOD	Limit of Detection (DoD/DOE)								

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-115650-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 10/17/2018 9:40 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.5° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample CENTRE-FINISHED (280-115650-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/18/2018 and analyzed on 10/31/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following sample is below the method recommended limit: CENTRE-FINISHED (280-115650-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115650-1

Lab Sample ID: 280-115650-1

Matrix: Water

Client Sample ID: CENTRE-FINISHED

Date Collected: 10/16/18 12:55 Date Received: 10/17/18 09:40

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.035		0.018	0.0088	ug/L	Santa Tusi	10/18/18 17:27	10/31/18 22:23	1
Perfluorodecanoic acid (PFDA)	0.0075	J	0.018	0.0070	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluoroheptanoic acid (PFHpA)	0.020	J	0.027	0.012	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorohexanoic acid (PFHxA)	0.055		0.018	0.0026	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorooctanoic acid (PFOA)	0.044		0.018	0.0088	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorooctane sulfonate (PFOS)	0.075		0.027	0.012	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluoropentanoic acid (PFPA)	0.087		0.027	0.0098	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluoroundecanoic acid (PFUnA)	0.0062	U	0.018	0.0062	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorobutanesulfonic acid	0.22		0.018	0.0074	ug/L		10/18/18 17:27	10/31/18 22:23	1
(PFBS) Perfluorodecanesulfonic acid (PFDS)	0.0082	U	0.018	0.0082	ug/L		10/18/18 17:27	10/31/18 22:23	1
Perfluorohexanesulfonic acid (PFHxS)	0.0063	U	0.027	0.0063	ug/L		10/18/18 17:27	10/31/18 22:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	104		60 - 155				10/18/18 17:27	10/31/18 22:23	1
13C8 PFOS	102		45 - 130				10/18/18 17:27	10/31/18 22:23	



Job Number: 280-115503-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for releast Dil.ea R Bindel Project Manager I 11/5/2018 7:29 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115503-1

Qualifiers

LCMS

Qualifier	Qualifier Description						
II	Indicates the analyte was analyzed for but not d						

Indicates the analyte was analyzed for but not detected.

Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
а	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-115503-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/12/2018 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples CENTRE-RAW (280-115503-1) and CENTRE-FINISHED (280-115503-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/20/2018 and analyzed on 11/01/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following sample is below the method recommended limit: CENTRE-RAW (280-115503-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115503-1

Lab Sample ID: 280-115503-1

Matrix: Water

Client Sample ID: CENTRE-RAW

Date Collected: 10/11/18 09:00 Date Received: 10/12/18 10:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Ànalyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.034		0.017	0.0082	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorodecanoic acid (PFDA)	0.0084	J	0.017	0.0065	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluoroheptanoic acid (PFHpA)	0.022	J	0.025	0.011	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorohexanoic acid (PFHxA)	0.060		0.017	0.0024	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorononanoic acid (PFNA)	0.014	U	0.033	0.014	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorooctanoic acid (PFOA)	0.043		0.017	0.0082	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorooctane sulfonate (PFOS)	0.094		0.025	0.011	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluoropentanoic acid (PFPA)	0.097		0.025	0.0091	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.033	0.015	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluoroundecanoic acid (PFUnA)	0.0057	U	0.017	0.0057	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorobutanesulfonic acid (PFBS)	0.26		0.017	0.0069	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorodecanesulfonic acid (PFDS)	0.0076	U	0.017	0.0076	ug/L		10/20/18 14:28	11/01/18 00:14	1
Perfluorohexanesulfonic acid (PFHxS)	0.0069	J	0.025	0.0058	ug/L		10/20/18 14:28	11/01/18 00:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	102		60 - 155				10/20/18 14:28	11/01/18 00:14	1
13C8 PFOS	103		45 - 130				10/20/18 14:28	11/01/18 00:14	1

Client Sample ID: CENTRE-FINISHED

Date Collected: 10/11/18 13:25

Date Received: 10/12/18 10:15

Lab Sample ID: 280-115503-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.038		0.018	0.0087	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluoroheptanoic acid (PFHpA)	0.018	J	0.027	0.012	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorohexanoic acid (PFHxA)	0.058		0.018	0.0026	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorononanoic acid (PFNA)	0.015	U	0.036	0.015	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorooctanoic acid (PFOA)	0.037		0.018	0.0087	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorooctane sulfonate (PFOS)	0.070		0.027	0.012	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluoropentanoic acid (PFPA)	0.095		0.027	0.0097	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluoroundecanoic acid (PFUnA)	0.0061	U	0.018	0.0061	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorobutanesulfonic acid (PFBS)	0.23		0.018	0.0073	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorodecanesulfonic acid (PFDS)	0.0081	U	0.018	0.0081	ug/L		10/20/18 14:28	11/01/18 00:26	1
Perfluorohexanesulfonic acid (PFHxS)	0.0063	J	0.027	0.0062	ug/L		10/20/18 14:28	11/01/18 00:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	97		60 - 155				10/20/18 14:28	11/01/18 00:26	1
13C8 PFOS	101		45 - 130				10/20/18 14:28	11/01/18 00:26	1



Job Number: 280-115993-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release Dit.ea R Bindel Project Manager I 11/5/2018 7:35 AM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 <u>www.testamericainc.com</u>

Client: Alabama Dept. Environmental Management

Toxicity Equivalent Quotient (Dioxin)

Project/Site: ADEM PFC Sampling - Centre

TEQ

TestAmerica Job ID: 280-115993-1

Qualifiers	
LCMS Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
a	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-115993-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/24/2018 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples Centre-Raw (280-115993-1) and Centre-Finished (280-115993-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/26/2018 and analyzed on 10/31/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following sample is below the method recommended limit: Centre-Raw (280-115993-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115993-1

Lab Sample ID: 280-115993-1

Matrix: Water

Client Sample ID: Centre-Raw

Date Collected: 10/22/18 08:45 Date Received: 10/24/18 09:45

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.037		0.017	0.0085	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorodecanoic acid (PFDA)	0.013	J	0.017	0.0068	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.026	0.013	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluoroheptanoic acid (PFHpA)	0.023	J	0.026	0.011	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorohexanoic acid (PFHxA)	0.059		0.017	0.0025	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorononanoic acid (PFNA)	0.015	U	0.035	0.015	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorooctanoic acid (PFOA)	0.052		0.017	0.0085	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorooctane sulfonate (PFOS)	0.13		0.026	0.012	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluoropentanoic acid (PFPA)	0.085		0.026	0.0095	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.026	0.013	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.035	0.015	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluoroundecanoic acid (PFUnA)	0.0060	U	0.017	0.0060	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorobutanesulfonic acid (PFBS)	0.30		0.017	0.0072	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorodecanesulfonic acid (PFDS)	0.0080	U	0.017	0.0080	ug/L		10/26/18 17:16	10/31/18 17:53	1
Perfluorohexanesulfonic acid (PFHxS)	0.0080	J	0.026	0.0061	ug/L		10/26/18 17:16	10/31/18 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	99		60 - 155				10/26/18 17:16	10/31/18 17:53	1
13C8 PFOS	101		45 - 130				10/26/18 17:16	10/31/18 17:53	1

Client Sample ID: Centre-Finished

Date Collected: 10/23/18 13:10 Date Received: 10/24/18 09:45 Lab Sample ID: 280-115993-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.038		0.018	0.0090	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorodecanoic acid (PFDA)	0.0072	U	0.018	0.0072	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluoroheptanoic acid (PFHpA)	0.020	J	0.028	0.012	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorohexanoic acid (PFHxA)	0.051		0.018	0.0027	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorononanoic acid (PFNA)	0.016	U	0.037	0.016	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorooctanoic acid (PFOA)	0.045		0.018	0.0090	ug/L		10/26/18 17:16	10/31/18.18:05	1
Perfluorooctane sulfonate (PFOS)	0.073		0.028	0.012	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluoropentanoic acid (PFPA)	0.082		0.028	0.010	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.028	0.013	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.037	0.016	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluoroundecanoic acid (PFUnA)	0.0063	U	0.018	0.0063	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorobutanesulfonic acid (PFBS)	0.24		0.018	0.0076	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorodecanesulfonic acid (PFDS)	0.0084	U	0.018	0.0084	ug/L		10/26/18 17:16	10/31/18 18:05	1
Perfluorohexanesulfonic acid (PFHxS)	0.0064	U	0.028	0.0064	ug/L		10/26/18 17:16	10/31/18 18:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	100	-	60 - 155				10/26/18 17:16	10/31/18 18:05	1
13C8 PFOS	105		45 - 130				10/26/18 17:16	10/31/18 18:05	1



Job Number: 280-115064-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, Al. 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I 10/12/2018 4:10 PM

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 10/12/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115064-1

-				
	ua	liti	0	re

1	~	BA	0
_	С	IVI	3

Qualifier	Qualifier	Description

U Indicates the analyte was analyzed for but not detected.

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
Appreviation	These commonly used appreviations may of may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)
LOD Limit of Detection (DoD/DOE)
LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)
MDL Method Detection Limit

ML Minimum Level (Dioxin)
NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-115064-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The sample was received on 10/3/2018 9:15 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Sample Centre - Finished (280-115064-1) was analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/05/2018 and analyzed on 10/08/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: Centre - Finished (280-115064-1). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-115064-1

Lab Sample ID: 280-115064-1

Matrix: Water

Client Sample ID: Centre - Finished

Date Collected: 10/02/18 12:30 Date Received: 10/03/18 09:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.025		0.018	0.0088	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorodecanoic acid (PFDA)	0.0070	U	0.018	0.0070	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.027	0.013	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluoroheptanoic acid (PFHpA)	0.016	J	0.027	0.012	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorohexanoic acid (PFHxA)	0.040		0.018	0.0026	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorononanoic acid (PFNA)	0.016	U	0.036	0.016	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorooctanoic acid (PFOA)	0.032		0.018	0.0088	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorooctane sulfonate (PFOS)	0.054		0.027	0.012	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluoropentanoic acid (PFPA)	0.073		0.027	0.0097	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorotetradecanoic acid (PFTeA)	0.013	U	0.027	0.013	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.036	0.016	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluoroundecanoic acid (PFUnA)	0.0062	U	0.018	0.0062	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorobutanesulfonic acid (PFBS)	0.18		0.018	0.0074	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorodecanesulfonic acid (PFDS)	0.0082	U	0.018	0.0082	ug/L		10/05/18 18:59	10/08/18 16:54	1
Perfluorohexanesulfonic acid (PFHxS)	0.0062	U	0.027	0.0062	ug/L		10/05/18 18:59	10/08/18 16:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	87		60 - 155				10/05/18 18:59	10/08/18 16:54	1
13C8 PFOS	94		45 - 130				10/05/18 18:59	10/08/18 16:54	1



Job Number: 280-116684-1

Job Description: ADEM PFC Sampling - Centre

For:

Alabama Dept. Environmental Management 2715 Sandlin Road, SW Decatur, AL 35603

Attention: Mr. Bruce Freeman

Approved for release DiLea R Bindel Project Manager I

DiLea R Bindel, Project Manager I 4955 Yarrow Street, Arvada, CO, 80002 (303)736-0173 dilea.bindel@testamericainc.com 11/15/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002 Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

RPD TEF

TEQ

TestAmerica Job ID: 280-116684-1

Qualifiers	
LCMS	
Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
D D	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Centre

Report Number: 280-116684-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 11/7/2018 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.4° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples CENTRE-RAW (280-116684-1) and CENTRE-FINISHED (280-116684-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 11/10/2018 and analyzed on 11/14/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: CENTRE-RAW (280-116684-1) and CENTRE-FINISHED (280-116684-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

Client: Alabama Dept. Environmental Management

Project/Site: ADEM PFC Sampling - Centre

TestAmerica Job ID: 280-116684-1

Lab Sample ID: 280-116684-1

Matrix: Water

Client Sample ID: CENTRE-RAW

Date Collected: 11/06/18 08:30 Date Received: 11/07/18 09:00

Method: DV-LC-0012 - Fluorina Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.038		0.017	0.0081	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorodecanoic acid (PFDA)	0.0073	J	0.017	0.0065	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluoroheptanoic acid (PFHpA)	0.026		0.025	0.011	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorohexanoic acid (PFHxA)	0.063		0.017	0.0024	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorononanoic acid (PFNA)	0.014	U	0.033	0.014	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorooctanoic acid (PFOA)	0.048		0.017	0.0081	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorooctane sulfonate (PFOS)	0.082		0.025	0.011	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluoropentanoic acid (PFPA)	0.10		0.025	0.0091	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorotridecanoic acid (PFTriA)	0.015	U	0.033	0.015	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluoroundecanoic acid (PFUnA)	0.0057	U	0.017	0.0057	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorobutanesulfonic acid (PFBS)	0.33		0.017	0.0068	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorodecanesulfonic acid (PFDS)	0.0076	U	0.017	0.0076	ug/L		11/10/18 13:32	11/14/18 12:22	1
Perfluorohexanesulfonic acid (PFHxS)	0.0072	J	0.025	0.0058	ug/L		11/10/18 13:32	11/14/18 12:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	100		60 - 155				11/10/18 13:32	11/14/18 12:22	1
13C8 PFOS	110		45 - 130				11/10/18 13:32	11/14/18 12:22	1

Client Sample ID: CENTRE-FINISHED

Date Collected: 11/06/18 13:00 Date Received: 11/07/18 09:00 Lab Sample ID: 280-116684-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.027		0.018	0.0090	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorodecanoic acid (PFDA)	0.0072	U	0.018	0.0072	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluoroheptanoic acid (PFHpA)	0.017	J	0.028	0.012	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorohexanoic acid (PFHxA)	0.047		0.018	0.0027	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorononanoic acid (PFNA)	0.016	U	0.037	0.016	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorooctanoic acid (PFOA)	0.035		0.018	0.0090	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorooctane sulfonate (PFOS)	0.065		0.028	0.012	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluoropentanoic acid (PFPA)	0.080		0.028	0.010	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorotridecanoic acid (PFTriA)	0.016	U	0.037	0.016	ug/L		11/10/18 13:32	11/14/18 12:34	- 1
Perfluoroundecanoic acid (PFUnA)	0.0064	U	0.018	0.0064	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorobutanesulfonic acid (PFBS)	0.24		0.018	0.0076	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorodecanesulfonic acid (PFDS)	0.0084	U	0.018	0.0084	ug/L		11/10/18 13:32	11/14/18 12:34	1
Perfluorohexanesulfonic acid (PFHxS)	0.0064	U	0.028	0.0064	ug/L		11/10/18 13:32	11/14/18 12:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	103		60 - 155				11/10/18 13:32	11/14/18 12:34	
13C8 PFOS	108		45 - 130				11/10/18 13:32	11/14/18 12:34	1